



# NORDIC

COMFORT AND DIGNITY FOR ALL



**Nordic activity AB**  
**Lokegatan 5**  
**SE-263 37 Höganäs**  
**Telefon +46 (0)42-14 78 60**

**e-mail**  
**[info@nordicactivity.se](mailto:info@nordicactivity.se)**  
**Home Page:**  
**[www.nordicactivity.com](http://www.nordicactivity.com)**



### *Comfort and dignity for all*

Nordic activity AB has the vision to develop simple and functional homecare products for the users, but also for the assistants such as family member or caregivers at home or in nursing homes. Products from Nordic have a timeless design and should fit in almost any environment without drawing special attention on themselves.

Products from Nordic activity AB are functional, robust and a great help in everyday life for everyone. Aim is to offer optimally quality of life and our motto is comfort and dignity for all.

We reserve the right to continuously implement design changes in order to maintain a consistently good quality. This may mean that the components can be replaced with more appropriate parts without affecting either performance or safety. To get updated information, you are welcome to contact us or visit our website [www.nordicactivity.se](http://www.nordicactivity.se)

## Shower



Relax with a comfortable shower - the cultural importance of showering has been practiced in the West, especially in view of the daily cleaning. But a shower also promotes well-being and relaxation. Showers have since been replaced to some extent with bathing. But in the near past the shower replaces the bath more and more again. A support in the shower can be a stable shower stool such as the shower stool ROCKY, MODULAR, MOBILE, WALL and PRACTICE from NORDIC. For shower stools, there are many accessories such as armrests and backrest in different variations. Also a wall mounted handle in the shower would be a good support and increases security. Stability, support and security provided by such a shower stool Rocky. Shower stools from NORDIC are visually appealing and very stable due to robust design. Additionally all NORDIC products have a very good corrosion protection for long life. Shower stools are maintenance free, but should be cleaned and if necessary disinfected in reasonable time. NORDIC shower furniture allows a relaxing shower experience for people with limited mobility.

SE - A new series of shower stools from NORDIC  
with integrated armrest, stable for high loads

- 2 pieces / pack!
- Very good price - not in stock
- Min. Order 24 pcs = 1 pallet
- Delivery time 4-6 weeks

### 49-104/105 Shower stool with integrated armrests

Steel construction, white powder coated.  
Seat height 50 cm - total height 70 cm  
46 cm between armrests - total width 51 cm  
Large plastic seat with drain hole  
Anti-slide rubber feet for high security  
Max load 150 kg  
Weight 4,9 kg



49-104 Standard-seat  
H = 50 cm

49-105 Hygien-seat  
H = 50 cm

SE - A new series of shower stools from NORDIC  
with integrated armrest, stable for high loads

- 2 pcs / pack
- Stock items



49-106 Standard-seat  
H = 45 – 60 cm

49-107 Hygien-seat  
H = 45 – 60 cm

### 49-106/107 Shower stool with integrated armrests

Steel construction, white powder coated.  
Seat height adjustable 45-60 cm - total height 65-85 cm  
46 cm between armrests - total width 51 cm  
Large plastic seat with drain hole  
Anti-slide rubber feet for high security  
Max load 150 kg  
Weight 4,9 kg

#### Accessory:

1-1114 Backrest in PU for 49-104/105/106/107



## MODULAR



1-1110 Standard seat



1-1111 Hygien seat

### Shower stool MODULART – a stable steel construction corrosion protected

Ergonomic plastic seat with drain hole

Large seat, 45x40 cm

Adjustable seat height 43 - 58 cm – no tools needed

Anti-slide rubber feet for high security

**Max. load 150 kg**

Weight 5,1 kg

#### Accessories:

1-1112 Armrests

1-1113 Soft backrest of white cloth, non water absorbing, machine washable 60 degrees

1-1114 Hard backrest with light grey PU-plate

Assembling without tools possible.

NOTE! When user weight exceed 90 kg the delivered lock nuts should be used, tools needed for assembling.

1-1115 Combi arm-/backrest.

All accessories can be easily retrofitted

***Also available as an extra-high model***

**1-1110-70 Shower stool, standard seat adjustable height 67 – 69—71 – 73 cm, max load weight 150 kg**

**1-1111-70 Shower stool, hyg. seat adjustable height 67 – 69 – 71 – 73 cm, max load weight 150 kg**

### Examples MODULAR with accessories

**1-1110 + 1-1112**



**1-1110+1-1112+1-1113**



**1-1111+1-1112+1-1114**



All accessories can be easily retrofitted

**HEAVY**

1-1110-T Standard seat



1-1111-T Hygienseat

**Shower stool HEAVY – a stable steel construction corrosion protected, with stronger legs**

Ergonomic plastic seat with drain hole

Large seat, 45x40 cm

Adjustable seat height 43 - 58 cm – no tools needed

Anti-slide rubber feet for high security

**Max. load 200 kg**

Weight 5,2 kg

**Accessories:**

1-1112-XXL Armrests for XXL

1-1113 Soft backrest of white cloth, non water absorbing, machine washable 60 degrees

1-1114 Hard backrest with light grey PU-plate

All accessories can be easily retrofitted



1-1117/49-117

**MOBIL**  
 Folded only 15 cm.



1-1118/49-118

Stable foldable steel construction corrosion protection for long term life.

Can be folded and easily stowed away. Although an optimal solution to take along on trips  
 f.ex

Ergonomic plastic seat with drain hole, soft backrest for comfortable sitting

Adjustable seat height, anti-slide rubber feet for high safety in the shower.

Weight: 8,5 Kg

Max.load 130 kg

**Dimensions:**

Width: 50 cm (Seat 45 cm x 40 cm) Height = 45 cm - 60 cm

Floor: 50 cm x 46 cm x 81 cm / 50 cm x 51 cm x 91 cm.

## PRACTICE



1-1138



1-1139

Shower stool PRACTICE for tight space, facilitate for the user and the assistant. Can be rotated 360 degrees and has four locks, every 90 degree.

Ferrules that adapts to minor irregularities in the floor.

Large seat 45x40 cm, ergonomic seat with drain hole, adjustable seat height for individual adaptation: 45-60 cm

Weight 6,9 kg

Max. load 130 kg

Floor: 44 cm x 44 cm (49 x 49 cm)

### Accessories:

1-1112 Armrest

1-1114 Backrest hard



1-1140

WALL



1-1141

Solid construction for wall mounting - can be easily folded up to save space in cramped spaces

Effective corrosion protection for long life.

Adjustable seat height for mounting.

Ergonomic seat with drain hole.

Weight 5.2 kg

Max. user weight 130 kg

Dimensions: Seat: 45 cm x 40 cm - Height: 47 cm - 57 cm. In the up position only 10 cm from the wall

**Not suitable in aggressive environments – f.ex. with high levels of salt, chlorine etc.**

## Shower bench XXL MAX. 300 kg



Artikel Nummer 1-1116

### Shower bench XXL very solid steel construction corrosion protected

Ergonomic plastic seat with drain holes.

Large seat 72 x 40 cm

Adjustable seat height 45 - 60 cm

No tools needed

Easy clip locking

Anti-slide ferrules for high safety

**Max. load weight 300 kg**

#### Accessory:

- 1-1112-XXL –Armrest, can be retrofitted
- 1-1116-14 - Backrest in PU Material can be retrofitted



1-1116 +1-1112-XXL



1-1116 +1-1112-XXL+1-1116-14



## Shower-/toilet chair WET&DRY



1-1270



1-1270-60-01



### Article no. 1-1270 / 1-1270-60-01 Armrest, wide model - as a complement to the exchange!

A stable chair, a good homecare assistant  
 Corrosion protected  
 Soft backrest of white cloth, non water absorbing, machine washable 60 degrees  
 Soft PU-seat, black, hardness 25 shore A  
 Holder for bucket / hospital pan (bucket / hospital pan not included)  
 Armrests are individually and independently foldable  
 Adjustable / removable footrests  
 Casters with double function brakes  
 Adjustable height  
 Delivered in a compact box  
 Low transport costs, 16 pcs on a pallet, positive for the environment

Good storage economy

Easy to assemble

#### Technical information

Total height: 108 – 118 cm

Seat height: 50 - 52.5 - 55 - 57.5 - 60 cm

Armrests over the seat: 22 cm

Seat: 44 x 40 cm

Max depth: 50/65 cm

**Max width: 58 cm / 68 cm (1-1270-60-01 )**

**Width between armrests: 47 cm / 58 cm(1-1270-60-01 )**

**Free height below the seat: 46 - 57 cm**

**Max load weight: 200 kg**

Weight 18,5 kg

Under development - 1-1273 set of 24 "drive wheels for 1-1270 WET & DRY

#### Accessory:



1-1290-99 Bucket with lid



0-1270-01 PU-seat

0-1270-11 PU insert for seats



## Bath



NORDIC provides care products for safer bathing. There are, for example, hanging seat FLEXIBLE available with different backs. Or why not choose a bathtub seat SWIVEL that has swivel function. These products are placed on the bathtub edge and allows the user to sit over the bath and lather themselves and showering with less risk of falls. To access secure into the tub we provide the step in stool STEP. This in connection with the grip SAFETY increases safety considerably.



### STEP

Article no. 1-1120

Stable stool, large foot area, with slide protection

Corrosion protected

Anti-slide ferrules

Max. load weight 130 kg

Weight 3 kg

Dimension 45 cm x 40 cm, Height: 20 cm

For best safety complete with the grip SAFETY – article no. 1-1121

### SAFETY

#### Grip for bathtub

Article no. 1-1121

Robust construction, easy to assemble - no tools

needed. Corrosion protected

Great grip surface safe to step into / out of the bathtub

Friction rubber for highest security

Max. user weight 130 kg

Weight 1.1 Kg

For best safety complete with the stool STEP.

Article no. 1-1120



### FLEXIBLE – Standard seat

#### Hang on seat for bathtub

Article no. 1-1130

Stable steel construction, corrosion protected

Ergonomic plastic seat with drain hole

Large seat, 45x40 cm

Width stepless adjustable 69 cm - 78 cm

No tools for mounting needed. When user weight exceed 90 kg use the locking nuts

Friction rubber for highest security

Max. user weight 130 kg

Weight 4.6 Kg



### FLEXIBLE – Hygienic seat

#### Hang on seat for bathtub

Article no. 1-1131

Stable steel construction, corrosion protected

Ergonomic plastic seat with drain hole

Large seat, 45x40 cm

Width stepless adjustable 69 cm - 78 cm No tools for mounting needed. When user weight exceed 90 kg use the locking nuts

Friction rubber for highest security

Max. user weight 130 kg

Weight 4.6 Kg



## Variations FLEXIBLE with backrest, 1-1113 soft and 1-1114 PU-hard



1-1130 + 1-1113  
1-1134-W



1-1131 + 1-1113  
1-1133-W




1-1130 + 1-1114  
1-1134-H



1-1131 + 1-1114  
1-1133-H

**Backrest can be ordered together or later as accessories - easily to retrofit**

## SWIVEL



### SWIVEL

#### Seat for bathtub with turning function

Article no. 1-1136  
 Sturdy steel construction corrosion protected  
 Ergonomic plastic seat with drain hole  
 Turnable 360 degrees, lockable every 90 degree  
 No tools required  
 Soft PU - backrest, colour - light grey  
 Anti-slip - friction rubber for maximum security  
 Weight 6.4 kg  
 Overall width 75 cm  
 Max. user weight 130 kg

### SWIVEL

#### Seat for bathtub with turning function

Article no. 1-1137  
 Sturdy steel construction corrosion protected  
 Ergonomic plastic seat with drain hole  
 Turnable 360 degrees, lockable every 90 degree  
 No tools required  
 Soft PU - backrest, colour - light grey  
 Anti-slip - friction rubber for maximum security  
 Weight 6.4 kg  
 Overall width 75 cm  
 Max. user weight 130 kg



## TOILET



Care products for the toilet are primarily designed for people with disabilities to manage their toileting themselves. Although the possibility for people to continue to receive care in their own home. Being able to perform toilet visits in privacy is important for the personal integrity and self confidence

### ECONOMY

#### ECONOMY stackable

##### Free standing toilet raiser

Article no. 1-1203

Sturdy steel construction corrosion protected

Ergonomic plastic seat with lid

Adjustable height 45 - 60 cm

No tools required

Anti-slip ferrules for maximum security

Complete with splash guard and lid support

Weight 8 kg

Max user weight 160

-5 pcs / pack



### EKONOMY +

#### ECONOMY + with arm plates

##### Free standing toilet raiser

Article no. 1-1202

Sturdy steel construction corrosion protected

Ergonomic plastic seat with lid

Adjustable height 45 - 60 cm

No tools required

Anti-slip ferrules for maximum security

Complete with splash guard and lid support

Weight 8 kg

Max user weight 130



0-1201-04 Splash guard - fits although on other not NORDIC models

## Free standing armrest SIMPLY – for toilet



Article no. 1-1220 Free standing armrest SIMPLY – for toilet

Sturdy construction with rust protection

Adjustable armrest height (6 levels) 66 – 81 cm without tools

Width 61 cm

Width between armrests 51 cm

Ergonomically shaped PU arm plates

Anti-slip rubber feet

Weight: 6 kg

**Max load: 150 kg**

Packaging unit: 3 pieces

## STANDUP



### 1-1226-40-01 STANDUP SMALL

New - as additional arms for exchange!  
 Narrow model, only 40 cm between the armrests  
 $1-1226 + 1-1226-40-01 = 1-1226-40$   
 Individually independent foldable armrests  
 Width between armrests 40 cm  
 Height of armrests over the toilet seat 21 cm  
 Seat for holes c / c 120 - 160 mm  
 Ergonomic plastic seat with lid  
 Interior dimensions of the seat 215 x 285 mm  
 Easy to assemble, no tools required  
 Sturdy steel construction with corrosion protection  
 Max user weight 130 kg  
 Weight 5.6 kg

#### Accessories:

1-1227 Holder for toilet paper  
 0-1226-10 RONDO plastic with lid (hard)

### 1-1226 STANDUP STANDARD

Individually independent foldable armrests  
 Width between armrests 54 cm  
 Height of armrests over the toilet seat 21 cm  
 Seat for holes c / c 120 - 160 mm  
 Ergonomic plastic seat with lid  
 Interior dimensions of the seat 215 x 285 mm  
 Easy to assemble, no tools required  
 Sturdy steel construction with corrosion protection  
 Max user weight 130 kg  
 Weight 7 kg

#### Accessories:

1-1227 Holders for toilet paper  
 0-1226-10 RONDO plastic with lid (hard)



### 49-460 REACHME

Free standing holder for toilet paper from NORDIC. The holder can be placed so that it is easy and convenient to reach. Unfortunately, normally holders for toilet paper are mostly placed that although healthy people has problems to reach. Therefore NORDIC developed a paper holder to place where ever needed. The paper holder has a large foot and has great stability in all positions.

#### Dimensions:

- Foot: D = 31 cm
- Height max.: 100 cm
- Colour: Silver/grey



### COMFORT article no. 1-1291

Seat, seat pad, backrest and armrests soft / black  
 Sturdy steel construction with corrosion protection  
 Adjustable seat height 45 - 60 cm  
 Backrest height 76 - 91 cm  
 Width between the armrests 46 cm  
 Max. Width 55 cm  
 Knock down model - assembly less than 5 minutes  
 Space-saving - low logistics costs!  
 No tools required  
 Weight 9 kg  
**Max user weight 200kg**  
 Article no. 1-1290-99 Bucket with lid included

### COMFORT + article 1-1291-60

New wider model!  
 Width between the armrests 58 cm  
 Seat, seat pad, backrest and armrests soft / black  
 Sturdy steel construction with corrosion protection  
 Adjustable seat height 45 - 60 cm  
 Backrest height 76 - 91 cm  
 Width between the armrests 58 cm  
 Max. Width 67 cm  
 Knock down model - assembly less than 5 minutes  
 No tools required  
 Space-saving - low logistics costs!  
 Weight 10 kg  
**Max user weight 200kg**  
 Article no. 1-1290-99 bucket with lid included



### 1-1295 Toilet chair XXL

#### Adjustable width

Not in stock -  
 Min. Order 12 items. Delivery time 4 - 6 weeks!

Width between armrests 55 – 85 cm  
**Max. user weight 300 kg**  
 Sturdy steel construction with corrosion protection  
 Seat, seat pad, backrest and armrests soft / black  
 Plastic seat med toilet hole  
 Integrated bucket / hospital pan holder  
 Seat height 50 cm  
 Total depth 53 cm  
 Total Height 85 cm  
 Produced in CE-Standard  
 Colour construction: Light grey  
 Colour soft parts: Black  
 Colour plastic seat: White

1-1290-99 Bucket with lid included

### 1-1296 Toilet chair XXL + Adjustable width and height

Width between armrests 55 – 85 cm

**Max. user weight 300 kg**

Very sturdy steel construction

Corrosion protected

Seat, backrest, armrests soft

Plastic seat med toilet hole

Integrated bucket / hospital pan holder

Seat height 45 - 60 cm

Total depth 53 cm

Total Height 80 - 95 cm

Produced in CE-Standard

Colour construction: Light grey

Colour soft parts: Black

Colour plastic seat: White

1-1290-99 Bucket with lid included



### 1-1297 Free standing toilet raiser XXL

**Adjustable width and height**

Width between armrests 55 – 85 cm

**Max. user weight 300 kg**

Very sturdy steel construction

Corrosion protected

Plastic seat med toilet hole

Integrated bucket / hospital pan holder (bucket / hospital pan not included) 0-1201-02 splash guard

Toilet seat with lid

Soft armrests

Seat height 45 - 60 cm

Total depth 53 cm

Total Height 80 - 95 cm

Produced in CE-Standard

Colour construction: Light grey

Colour soft parts: Black

Colour plastic seat / toilet seat: White



### Stand for soap dispenser article no. 49-450

We supply only the stand without dispenser. The stand can also be adapted for other purposes. We can recommend some suitable suppliers for dispenser, contact us for details. A stable construction, powder coated (silver / grey) can be placed in f.ex. lobbies, waiting rooms, etc.

#### Dimensions:

Foot: D = 310 mm

Stand tube: D = 40 mm H = 1200 mm

Holder / bracket: 100 x 275 mm,

2 holes D = 6,25 mm C / C 40 mm (**can be customized**)





Mobility - mobilization include changes in location, transfer and / or motion exercises. Some of them are assistive devices such as, for example, a walker (rollator), a lifter, a walking table, a turn disc. In care concepts of many nursing homes are included activity promotion programs which are also called "planned mobilization". A walking table can be used for the walking training to stabilize and train the muscles. Being able to move independently raises the self-esteem of the individual.



**Article no. 1-2250 Walking table**  
**ALBE STANDARD**

Height: 83 cm - 131 cm  
 Max width: 76 cm  
 Width between arm cushions: 29 cm - 46 cm  
 Length: 85 cm  
 Weight: 15 kg  
 Max user weight: 150 kg  
 Wheels: 125 mm diameter  
 2 Wheels with double function brakes

**Article no. 1-2251 Walking table**  
**ALBE GAS**

**Adjustable height with gas piston**

Height: 83 cm - 131 cm  
 Max width: 76 cm  
 Width between arm cushions: 29 cm - 46 cm  
 Length: 85 cm  
 Weight: 17 kg  
**Max user weight: 150 kg**  
 Wheels: 125 mm diameter  
 2 Wheels with double function brakes



**Article no. 1-2255 Walking table**  
**ALBE EL**

**Adjustable height with el-motor**

Height: 83 cm - 131 cm  
 Max width: 76 cm  
 Width between arm cushions: 29 cm - 46 cm  
 Length: 85 cm  
 Weight: 22 kg  
**Max user weight: 150 kg**  
 Wheels: 125 mm diameter  
 2 Wheels with double function brakes

**The walking table ALBE EL can be used as active raising**



<u>Art. No.</u>	<u>Articel</u>	<u>Width max.</u>	<u>Max kg</u>	<u>Length</u>	<u>Height</u>	<u>Between cushions</u>	<u>Weight</u>
1-2250	Manuel	76 cm	150	85 cm	83 – 131 cm	29 – 46 cm	15 kg
1-2251	Gas	76 cm	150	85 cm	83 – 131 cm	29 – 46 cm	17 kg
1-2255	El	76 cm	150	85 cm	83 – 131 cm	29 – 46 cm	22 kg



## Walking table ALBE



### Article no. 1-2250-RA Walking table ALBE STANDARD RA

Height: 93 cm - 138 cm

Max width: 76 cm

Between cushions: 29 cm - 46 cm

Length: 95 cm

Weight: 18 kg

Max user weight: 130 kg

Wheels: 200 mm

2 Wheels with double function brake

**RA = Large wheels and hand brake, suitable although for outdoor use**

### Article no. 1-2251-RA Walking table

#### ALBE GAS RA

Height: 93 cm - 138 cm – adjustment with gas piston

Max width: 76 cm

Between cushions: 29 cm - 46 cm

Length: 95 cm

Weight: 20 kg

Max user weight: 130 kg

Wheels: 200 mm

2 Wheels with double function brake

**RA = Large wheels and hand brake, suitable although for outdoor use**

Very low demand - therefore no stock items, delivery time 2-3 weeks!



### Article no. 1-2255-RA Walking table ALBE EL RA

Height: 93 cm - 138 cm – adjustment with el-motor

Max width: 76 cm

Between cushions: 29 cm - 46 cm

Length: 95 cm

Weight: 22 kg

Max user weight: 130 kg

Wheels: 200 mm

2 Wheels with double function brake

**RA = Large wheels and hand brake, suitable although for outdoor use**

**The walking table ALBE EL can be used as active raising**

<u>Art. No.</u>	<u>Articel</u>	<u>Width max.</u>	<u>Max kg</u>	<u>Length</u>	<u>Height</u>	<u>Inside cushions</u>	<u>Weight</u>
1-2250-RA	Manuel	76 cm	130	95 cm	83 – 138 cm	29 – 46 cm	18 kg
1-2251-RA	Gas	76 cm	130	95 cm	83 – 138 cm	29 – 46 cm	20 kg
1-2255-RA	El	76 cm	130	95 cm	83 – 138 cm	29 – 46 cm	25 kg



### Article no. 1-2248 Walking table ALBE SMALL

New lower model!

Height: 79 cm - 127 cm

Max width: 76 cm

Between cushions: 29 cm - 46 cm

Length: 85 cm

Weight: 15 kg

Max user weight: 150 kg

Wheels: 75 mm

2 Wheels with double function brake

### Article no. 1-2249 Walking table ALBE SMALL EL

New lower model!

Height: 79 cm - 128 cm – adjustment with el-motor

Max width: 76 cm

Between cushions: 29 cm - 46 cm

Length: 85 cm

Weight: 21 kg

Max user weight: 150 kg

Wheels: 75 mm

2 Wheels with double function brake

**The walking table ALBE EL can be used as active raising aid.**



<u>Art. No.</u>	<u>Articel</u>	<u>Width max.</u>	<u>Max kg</u>	<u>Length</u>	<u>Height</u>	<u>Inside cushions</u>	<u>Weight</u>
1-2248	Smal	76 cm	150	85 cm	79 – 128 cm	29 – 46 cm	15 kg
1-2249	Smal EL	76 cm	150	85 cm	79 – 127 cm	29 – 46 cm	22 kg



### Article no. 1-2257 Walking table ALBE XXL

There is opportunity for individual adjustments, contact us for details. Adjustable height with electric motor

Height: 83 - 131 cm

Max. width: 93 cm

Between cushions: 46 - 62 cm

Height: 95 cm

Weight: 28 kg (31 kg)

Wheels: 125 mm

2 wheels with double-acting brake

The dimensions are only examples – the walking table will be manufactured after customer instructions.

**Max user weight: 250**

## Walking table ALBE HR

### Article no. 1-2245-HR Walking table ALBE STANDARD

Height: 83 cm - 131 cm

Max width: 76 cm

Width between arm cushions: 29 cm - 46 cm

Length: 85 cm

Weight: 15 kg

**Max user weight: 150 kg**

4 wheels with a diameter of 125 mm (2 swivel castors)

2 castors with dual brake parking brake (travel brake / parking brake)



### Article no. 1-2246-HR Walking table ALBE GAS

**Adjustable height with gas piston**

Height: 83 cm - 131 cm

Max width: 76 cm

Width between arm cushions: 29 cm - 46 cm

Length: 85 cm

Weight: 17 kg

**Max user weight: 150 kg**

4 wheels with a diameter of 125 mm (2 swivel castors)

2 castors with dual brake parking brake (travel brake / parking brake)

### Article no. 1-2247-HR Walking table ALBE EL

**Adjustable height with el-motor**

Height: 83 cm - 125 cm

Max width: 76 cm

Width between arm cushions: 29 cm - 46 cm

Length: 85 cm

Weight: 22 kg

**Max user weight: 150 kg**

4 wheels with a diameter of 125 mm (2 swivel castors)

2 castors with dual brake parking brake (travel brake / parking brake)

**The walking table ALBE EL can be used as active raising aid.**



<u>Art. No.</u>	<u>Articel</u>	<u>Width max.</u>	<u>Max kg</u>	<u>Length</u>	<u>Height</u>	<u>Inside cushions</u>	<u>Weight</u>
1-2245-HR	Manuel	76 cm	150	85 cm	83 – 131 cm	29 – 46 cm	15 kg
1-2246-HR	Gas	76 cm	150	85 cm	83 – 131 cm	29 – 46 cm	17 kg
1-2247-HR	El	76 cm	150	85 cm	83 – 125 cm	29 – 46 cm	22 kg

## ASSISTENT – rod from floor to ceiling



### 49-500 ASSISTENT – rod from floor to ceiling

ASSISTENT is an aid for people with limited mobility and / or balance problems. The rod can be used to move more easily from a sitting position up or down from a standing position. Chromed steel tube diameter 35 mm, very grippy. The rod is clamped mechanically between floor and ceiling with a 90 kg counter weight.

Both down on the floor and up to the ceiling there is a rubber gasket to prevent unwanted movements.

The rod can be used for room heights from 2.1 to 3.0 m.

Max load 130 kg

Delivered in parts – the ASSISTENT is easy to assemble. But we recommend always the mounting should be made by professional staff!

#### Attention!

Construction technology must be determined if the rod may be fitted!

#### Accessories:

49-501 Grip for ASSISTENT

49-502 Bed boom for bar ASSISTENT

49-503 Mounting plate for weak roofs

49-504 Mounting plate for sloping roof



### 1-2311 Turn disc EASY

Great aid for transferring patients from wheelchair to toilet. Handle for carrying.

Easy to turn, even with max load 100kg.

Both sides up and down covered with grooved rubber.

Diameter 32cm, height 2 cm

Weight: 1.2 kg

Max. load 100 kg

### Reading table



**1-2501-0 NORDIC beech**  
Without sideboard

**1-2501 NORDIC beech**  
With sideboard 21 cm x 32

**1-2501-V NORDIC white**  
With sideboard 21 cm x 32 cm

Sturdy steel tube construction, 4 x 45 mm wheels, two with brake.

U-shaped down frame 59 x 43 cm (internal: 53 x 39 cm) very well suited for wheelchair users, height frame 10cm

Large tabletop – stepless adjustable in angle, dimensions 54 cm x 41 cm,

The tabletop has in front and rear a wooden book support edge, the sideboards have those edges all around

Height table top: 68cm - 108 cm, stepless adjustable

Weight: 10kg

### Overbed table



**1-2503 Overbed table NORDIC LARGE beech**

**1-2503-V Overbed table NORDIC LARGE white**

Stepless adjustable height, large table plate adjustable to any angle, fixed side plate, optional mounting of the sideboard to the right or left side.

Max load on the tabletop: 10kg


Stepless adjustable height 68-108 cm, large tabletop 75 x 41 cm, sideboard 32 x 21 cm,

Dimensions down frame: 78 x 42 cm (inner 75 x 39 cm), height 10 cm, 4 x 45 mm wheels, two with brake

Weight: 11 kg

1-20500 Extra legs for table 1-2501/1-2503 , 1-2500-V Extra legs for table white . 1-2501-V/1-2503-V

## 49-400 Hospital bed trapeze



### Article no. 49-400 Hospital bed trapeze TOM

The frame is a self-standing unit for facilitating bedridden to raise up in sitting position. The trapeze can be placed individually at the bedside. The stable construction can be loaded up to 100 kg. On the upper part is placed a handle adjustable (49-401 Triangle Grip). The hospital bed trapeze can be used both in nursing homes and although in the private home.

Sturdy steel tub construction, sturdy undercarriage

Manufactured according to CE standards

Max. load 100 kg

Total height 1,8 m

Plastic handle, adjustable

Colour: White

Weight: 9,8 kg

49-401 Triangle grip (included)

49-403 Stabilizer / anti-tip device (included)

### Accessories:

49-402 Triangle grip with automatic roll up function

49-407 Triangle handle HEAVY





Article no.	Article	Max. user weight	Page
1-1110	Shower stool MODULAR standard seat	150 kg	4
1-1111	Shower stool MODULAR hyg. Seat	150 kg	4
1-1110-70	Shower stool MODULAR-H high model, standard seat	130 kg	4
1-1111-70	Shower stool MODULAR-H high model, hyg. Seat	130 kg	4
1-1110-T	Shower stool HEAVY standard seat	200 kg	5
1-1111-T	Shower stool HEAVY hyg. Seat	200 kg	5
1-1112	Armrest (pair)		4
1-1112-XXL	Armrest (pair) for HEAVY and shower bench XXL		7
1-1113	Backrest soft (white cloth)		4
1-1114	Backrest hard (light grey PU-plate)		4
1-1115	Combi arm-/backrest (light grey PU-plate)		4
1-1116	Shower bench XXL	300 kg	7
1-1116-A	Shower bench XXL + 1-1112-XXL armrest	300 kg	7
1-1117	Shower chair MOBIL – foldable, hyg. Seat	130 kg	5
1-1118	Shower chair MOBIL – foldable, standard seat	130 kg	5
1-1120	Step in stool STEP for bathtub	130 kg	9
1-1121	Handle grip SAFETY for bathtub	130 kg	9
1-1130	Hang on seat FLEXIBLE for bathtub standard seat	130 kg	9
1-1131	Hang on seat FLEXIBLE for bathtub hyg. Seat	130 kg	9
1-1133-H	1-1131 + 1-1114	130 kg	10
1-1133-W	1-1131 + 1-1113	130 kg	10
1-1134-H	1-1130 + 1-1114	130 kg	10
1-1134-W	1-1130 + 1-1113	130 kg	10
1-1136	Bathtub seat SWIVEL standard seat	130 kg	10
1-1137	Bathtub seat SWIVEL hyg. Seat	130 kg	10
1-1138	Shower stool PRACTICE standard seat	130 kg	6
1-1139	Shower stool PRACTICE hyg. Seat	130 kg	6
1-1140	Shower stool WALL standard seat	130 kg	6
1-1141	Shower stool WALL hyg. Seat	130 kg	6
1-1202	Toilet raiser ECONOMY + free standing with arm plates	130 kg	11
1-1203	Toilet raiser ECONOMY, free standing, stackable	130 kg	11
1-1220	Free standing armrest SIMPLY – for toilet	150 kg	12
1-1226	Armrest STANDUP for toilet	130 kg	13
1-1226-40	Armrest STANDUP-SMALL for toilet	130 kg	13
1-1227	Paper holder for 1-1226		13
1-1270	Shower-/toilet chair WET&DRY	200 kg	8
1-1270-60	Shower-/toilet chair WET&DRY + wider model	200 kg	8
1-1290-99	Bucket with lid		8
1-1291	Toilet chair COMFORT	150 kg	14
1-1291-60	Toilet chair COMFORT + wider model	150 kg	14
1-1295	Toilet chair XXL	300 kg	14
1-1296	Toilet chair XXL +	300 kg	15
1-1297	Toilet raiser XXL, free standing	300 kg	15
1-2245-HR	Walking table	150 kg	19
1-2246-HR	Walking table ALBE Gas	150 kg	19
1-2247-HR	Walking table ALBE EL	150 kg	19
1-2248	Walking table ALBE – SMALL	130 kg	18
1-2249	Walking table ALBE – SMALL EL	130 kg	18
1-2250	Walking table ALBE STANDARD	130 kg	16
1-2250-RA	RA Walking table ALBE STANDARD RA	130 kg	17
1-2251	Walking table ALBE GAS	150 kg	16
1-2251-RA	Walking table ALBE GAS RA	130 kg	17
1-2255	Walking table ALBE EL	150 kg	16
1-2255-RA	Walking table ALBE EL RA	130 kg	17
1-2257	Walking table ALBE XXL to customize	250 kg	18
1-2311	Turn disc EASY	100 kg	20
1-2501-0	Reading table NORDIC beech without sideboard		21
1-2501	Reading table NORDIC beech with sideboard		21
1-2501-V	Reading table NORDIC white with sideboard		21
1-2503	Overbed table NORDIC LARGE beech with sideboard		21
1-2503-V	Overbed table NORDIC LARGE white with sideboard		21
49-104	Shower stool SE, integrated armrests H=50 stand. Seat	130 kg	3
49-105	Shower stool SE, integrated armrests H=50 hyg. Seat	130 kg	3
49-106	Shower stool SE, integrated armrests, adj. H stand. Seat	130 kg	3
49-107	Shower stool SE, integrated armrests, adj. H hyg. Seat	130 kg	3
49-113	Backrest for 49-104/105/106/107		3



## Artikellista

Article no.	Article	Max. user weight	Page
49-400	Hospital bed trapeze TOM	100 kg	22
49-401	Triangle Grip for Hospital bed trapeze		22
49-402	Triangle Grip for Hospital bed trapeze - automatic		22
49-450	Stand for soap dispenser		15
49-460	REACHME - free standing holder for toilet paper		13
49-500	Rod ASSISTENT		20
49-501	Handle for ASSISTENT		20
49-502	Bed boom for pole ASSISTANT		20
49-503	Mounting plate for weak roofs		20
49-504	Mounting plate for sloping roof		20

### Miscellaneous accessories / spare Parts:

#### Shower/bath – spare parts

0-1000-94	Ferrules
0-1000-95	Clip
0-1000-96	Adapter
0-1000-97	AL-leg
0-1110-03	Plastic seat standard
0-1111-03	Plastic seat hygienic
0-1113-01	Cloth for backrest 1-1113 / 1-1117
0-1114-01	PU-plate for 1-1114 / 1-1115 / 1-1136 / 1-1137
0-1114-10	Clip for 0-1114-01
0-1117-99	Stabiliser for 1-1117 / 1-1118
0-1136-54	Rubber pad for 1-1121 / 1-1136 / 1-1137

#### Toilet – accessories/ spare parts

0-1201-01	Support for the strap cover
0-1201-03	Toilet seat / bucket with lid
0-1201-04	Splash guard
0-1201-05	Bucket (without lid) white
0-1226-10	Toilet seat / bucket with lid "RONDO" hard
1-1290-99	Bucket with lid

#### Walking table - accessories

1-2250-60	Slide brake (for RA version only)
1-2250-70	Removable support plate
1-2250-71	Holder for oxygen
1-2250-72	Extra side support for cushions
1-2250-74	Infusion holder
1-2250-75	Wider down part
1-2250-78	Wheel lockable direction
1-2250-79	One hand brake (for RA version only)

#### Walking table – spare parts

0-2250-18	Lock for handle M8 D60
0-2250-19	Height adjustment button 65-M8x15
0-2250-20	Armrest right
0-2250-21	Armrest left
0-2250-38	Wheels 120 mm
0-2250-39	Wheels 120 mm with brake
0-2250-41	Locking cushions (armrests)
0-RA-110	Brake cable
0-RA-111	Handle / brake
0-RA-112	Spring / brake
0-RA-120	Fork in front
0-RA-125	Wheels 200 mm



**Contact form – send to [nordic@nordicactivity.se](mailto:nordic@nordicactivity.se)**

Enquiry ☐ Purchase order ☐ Product leaflet ☐ Catalogue ☐

Name :

Company :

Phone :

e-mail :

Date :

Message

---



# NORDIC

COMFORT AND DIGNITY FOR ALL

Nordic Activity AB develops, designs and manufactures homecare products for the elderly and disabled. Affordable high-quality, robust design and ease of use characterize the entire range. It provides security, comfort and assistance in daily life for both patient and caregiver. All products are manufactured according to CE standards.

Activity Nordic AB is a Swedish company, operating since 1993 with a branch in Germany since 2005. Our customers are wholesalers, retailers and distributors in several European countries. Our well-stocked warehouse ensures efficient logistics with fast delivery to customers across Europe.

We are keen to give our customers the best service and assistance, do not hesitate to contact us.

**Nordic activity AB**  
**Lokegatan 5**  
**SE-263 37 Höganäs**  
**Telefon +46 (0)42-14 78 60**  
**Fax +46 (0)42-14 73 80e-mail**  
**nordic@nordicactivity.se**

**Home Page:**  
[www.nordicactivity.se](http://www.nordicactivity.se)  
[www.nordicactivity.com](http://www.nordicactivity.com)  
[www.nordiccare.de](http://www.nordiccare.de)